

## WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Thursday, August 04, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L10	L3 and (report\$ near2 bug)	27
<input type="checkbox"/>	L9	L7 and severity	3
<input type="checkbox"/>	L8	L3 and (priority near3 bug)	3
<input type="checkbox"/>	L7	L3 and priority	40
<input type="checkbox"/>	L6	L3 and sigma	3
		<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L5	L3	1
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L4	L3 and L1	8
<input type="checkbox"/>	L3	L2 and database	103
<input type="checkbox"/>	L2	bug near2 (track\$ or rate or rating or evaluat\$)	193
<input type="checkbox"/>	L1	717/124-133.ccls.	1934

END OF SEARCH HISTORY



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

"bug rating" database priority

Search

[Advanced Search](#)  
[Preferences](#)

**Web**

Results 1 - 4 of 4 for "**bug rating**" **database priority**. (0.38 seconds)

Tip: Try removing quotes from your search to get more results.

### Secure Software Development by Example

The subscriber **database**'s privacy should be guaranteed. ... We did the implementation with SSL, but as other higher-**priority** tasks came in, we didn't do the ...

[www.computer.org/.../v3n4&file=apvrille.xml](#) - 51k - [Cached](#) - [Similar pages](#)

### Reference Library

The Novell Directory Services (NDS) **database** is designed to be ... TID100872 (dsbebug)  
Bindery Emulation Default Security **Bug Rating**: 0.00 (0 votes) ...

[forge.novell.com/modules/xfref\\_library/ browse.php?filter=category&value=110](#) - 399k - [Cached](#) - [Similar pages](#)

### Reference Library

This sample shows how to setup, start and close a **database** session, ... Due to incorrect **priority** assignment, PCMLoop code loops so that ACKs received by ...  
[forge.novell.com/modules/xfref\\_library/ browse.php?filter=type&value=105](#) - 513k -

[Cached](#) - [Similar pages](#)

### JOS Statistics - Recent Comments

If you are writing a driver, or a **database** engine, a large portion of the project ... So my order of purchase **priority** would be first memory, multiple hard ...

[www.usabilitymustdie.com/ jos/WWW\\_Weekly\\_Comments\\_01\\_Dec\\_2002.html](#) - 418k - [Cached](#) - [Similar pages](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

"bug rating" database priority

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Web](#) | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) | [Shopping](#)  
**YAHOO! SEARCH** "bug rating" database

[My Web BETA](#)

[Subscriptions \(New\)](#)

[Shortcuts](#)

[Advanced Search](#)

[Preferences](#)

**Search Results**

Results **1 - 10** of about **54** for **"bug rating" database** - 0.21 sec. ([About this page](#))

### [he Bug Board: Quality bughouse & rating](#)

everything and Anything about Bughouse Chess ... we take for example (as in 3b) current **bug rating** (Best+Actual) with login for authorization ...

[www.thebugboard.net/messages/343/1484.html?1065872690](http://www.thebugboard.net/messages/343/1484.html?1065872690) - 38k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

### [ourceForge.net CVS Repository - markup - cvs: scid/scid+/Changelog](#)

as Polish or Czech). \* Adds "Open **database**" command to **Database Switcher**. \* Add option in PGN window ...

[rs.sourceforge.net/viewcvs.py/scid/scid+/...?rev=1.1.1.1&view=auto](http://rs.sourceforge.net/viewcvs.py/scid/scid+/...?rev=1.1.1.1&view=auto) - 6k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

### [orwardgarden.com - A Database of Forwards](#)

he Internet's largest **database** of forwards: jokes, poems, quotes, get rich quick schemes, top 10 lists, romance, ... **Rating:** G) (Quality: Very Good) ...

[www.forwardgarden.com/category/29\\_3.html](http://www.forwardgarden.com/category/29_3.html) - 17k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

### [ttack of the Y2K Bug](#)

ttack of the Y2K Bug. Undoubtedly, you've heard about the "Y2K Bug" – the computer glitch that was supposed to ... [www.softwareinsearch.com/cat15\\_attackofthey2kbug.html](http://www.softwareinsearch.com/cat15_attackofthey2kbug.html) - [More from this site](#) - [Save](#) - [Block](#)

### [W Bug](#)

W Bug. FREE screensaver for the real lovers of VW's Bug. Business. Desktop. Developer Tools. Drivers

[www.softwareinsearch.com/cat15\\_vwbug.html](http://www.softwareinsearch.com/cat15_vwbug.html) - [More from this site](#) - [Save](#) - [Block](#)

### [he Bug Board: Player strength](#)

bad system I mean the fact that FICS **bug rating** says nothing about player's strength, because of eekers ... did it ...

[www.thebugboard.net/messages/326/1802.html?1109427376](http://www.thebugboard.net/messages/326/1802.html?1109427376) - [More from this site](#) - [Save](#) - [Block](#)

### [http://www.thenebula.com/dave/cruise/album/CHANGES.txt](#)

for shadow borders \* db\_passwordSaltfield: Sets the passwordSalt **database** field. Used for SMF 1.1+ and it's ...

[www.thenebula.com/dave/cruise/album/CHANGES.txt](http://www.thenebula.com/dave/cruise/album/CHANGES.txt) - 53k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

### [olkswagen Bug](#)

Search by Zip or browse through the second largest online **database** of used vehicles ... Search by Zip or browse ... [nitrex.1.p2l.info/lx.php?q=Volkswagen-Bug](http://nitrex.1.p2l.info/lx.php?q=Volkswagen-Bug) - [More from this site](#) - [Save](#) - [Block](#)

### [eference Library](#)

syslog() To a MySQL **Database** Rating: 0.00 (0 votes) ... UNICODE.NLM unichr(punicode s, unicode c) **bug Rating** ... [nrg.novell.com/modules/xref\\_library/browse.php?...&value=110](http://nrg.novell.com/modules/xref_library/browse.php?...&value=110) - [More from this site](#) - [Save](#) - [Block](#)

### [http://www.sonic.net/~rsmercer/CHANGES.txt](#)

EVISION HISTORY V6.5 - 04/09/13 - New Features (Mostly from J.J. Frister – THANKS!) - \* Multiple "viewing" ... [www.sonic.net/~rsmercer/CHANGES.txt](http://www.sonic.net/~rsmercer/CHANGES.txt) - 53k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

**Results Page:**

1 2 [Next](#)

[Web](#) | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) | [Shopping](#)

Your Search: "bug rating" database

**Search**



**Sick of Pop-Ups?** [Block pop-ups with Yahoo! Toolbar](#). It's free

Copyright © 2005 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright/IP Policy](#) - [Submit Your Site](#) - [Job Openings](#)

Searching for **bug rating and database**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)  
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

**No documents match Boolean query. Trying non-Boolean relevance query.**

500 documents found. **Only retrieving 250 documents (System busy - maximum reduced).** Order: relevance to query.

Performance of Adaptive Query Processing in the Mariposa.. - Sidell (1997) (Correct) (1 citation)  
cost into the total bid. Bidding out entire plans (rather than, say, individual nodes) minimized the Query Processing in the Mariposa Distributed Database Management System Jeff Sidell University of Abstract The Mariposa distributed database management system is based on an economic db.cs.berkeley.edu/papers/unpubl-perf.ps.Z

Diagnosis Of Glass Quality In A Manufacturing Process: Two.. - Grandvalet, Canu (Correct)  
connexionist solutions for predicting the quality rating of glass according to chemical inlet of the www.hds.utc.fr/~grandval/SAFEPROCESS97.ps.gz

Visualization of Binary String Convergence by Sammon Mapping - Dybowski (1996) (Correct) (3 citations)  
the mean fitness levels, the spread of fitness ratings, and the rate of improvement. Although such a km1.open.ac.uk/people/trevor/research/publications/EP96.ps.gz

Optimization of Queries with User-defined Predicates - Chaudhuri, Shim (1996) (Correct) (22 citations)  
to ensure that the customer has a high credit rating, is in the age-group 30 to 40, resides in the San Center shim@bell-labs.com Abstract Relational databases provide the ability to store user-defined In order to efficiently execute complex database applications, many major relational database www.informatik.uni-trier.de/~ley/vldb/ChaudhuriS96/Article.PS

Adding Goals for Reuse Practice to Project Plans - Margaret Maggie (Correct)  
for assessment and goal identification are to: ffl rate each indicator relative to a fixed, given scale source.asset.com/Boeing/DOCS/goals\_for\_reuse.ps

Extensible, General, and Robust Autonomous Discovery of.. - Livingston (1999) (Correct)  
justifications for performing an operation ratings, numeric values representing the strengths of ,is a specialization of Knowledge Discovery in Databases (KDD)the discovery of new and interesting discovery of new and interesting knowledge from a database, where rule induction is the primary method for www.cs.pitt.edu/~gary/summary.ps

An Evolutionary Approach to Intelligent Information.. - Höfferer, Knaus, Winiwarter (1994) (Correct)  
of relevant topics interest-domains)By rating the keywords of each incoming e-mail and Datacycle Architecture For Very High Throughput Database Systems, Proceedings Of Acn Sigmod, Acn, Natural Language Interfaces to Deductive Databases. Proc. of the 4th Int. Workshop on Natural ftp.ifs.univie.ac.at/pub/werner.winiwarter/spicis94.ps.gz

Resolving Attribute Incompatibility in Database.. - Lim, Srivastava, Shekhar (1994) (Correct) (8 citations)  
R Restaurant) Managed by) Manages) best-dish rating Figure 2: Example Global Schema and Star Tribute Resolving Attribute Incompatibility in Database Integration: An Evidential Reasoning Approach incompatibility among independently developed databases often involves uncertain information. DeMichiel ftp.cs.umn.edu/dept/users/myriad/dataEng94.ps.Z

Langley Research Center Hampton, Virginia - William Capron (Correct)  
. 17 iii 5.1.4. Runway Arrival Rate Benefit Assessment . techreports.larc.nasa.gov/pub/techreports/larc/93/tp3399.ps.Z

Syskill Webert: Identifying interesting web sites - Michael Pazzani (1996) (Correct) (13 citations)  
Syskill & Webert, a software agent that learns to rate pages on the World Wide Web (WWW)deciding what which is a copy of much of the LYCOS database on CD-ROM eliminating the network connection www.ics.uci.edu/~pazzani/Publications/aaai-webert.ps

Security Modelling using EVES - Tr- Sentot (Correct)

a policy requirement which states the isolation **rating** between each pair of security levels, one can  
: 5 4 **Database** Requirements 6 4.1 **Relational Database** :  
for Graphical User Interfaces (GUIs) and **databases** for developing system architectures and  
ftp.ora.on.ca/pub/doc/93-5479-02.ps.Z

Learning Automated Product Recommendations Without Observable.. - Lee, Moore (1995) (Correct)

:20 4.4 **Movie Ratings** Data :

www.cs.cmu.edu/afs/cs.cmu.edu/project/reinforcement/papers/lee-consumer.ps

A Power Metric for Mobile Systems - Martin, Siewiorek (1996) (Correct) (9 citations)

The current is measured in terms of the "C" **rating**, a standard notation of the battery industry in  
www.cs.cmu.edu/~tln/papers/islped96.ps

On Fuzzy Screening Systems - Carlsson, Fullér (1995) (Correct) (3 citations)

of the alternatives. This evaluation consists of a **rating** for each alternative on each of the criteria,  
ftp.abo.fi/pub/iamsr/aeufit95.ps.gz

Content-Based Book Recommending Using Learning for Text.. - Mooney, Roy (1999) (Correct) (17 citations)

to keywords or standard subject categories, but **rather** best illustrated by example. Digital libraries  
or social filtering. The system maintains a **database** of the preferences of individual users, finds  
Intelligent Book Recommending Agent)uses a **database** of book information extracted from web pages at  
ftp.cs.utexas.edu/pub/mooney/papers/libra-dl99.ps.gz

Revising User Profiles: The Search for Interesting Web Sites - Daniel Billsus (1996) (Correct) (1 citation)

Syskill &Webert, a software agent that learns to **rate** pages on the World Wide Web (WWW)deciding what  
for the bands (listening) domain grants .7 .2 **database** .8 .1 genome .6 .3 molecular .6 .1 protein .5 .2  
www.ics.uci.edu/~pazzani/Publications/RevUserProfiles.ps

Towards An Assessment Of An AI System's Validity By A.. - Knauf, Philippow, Gonzalez (1997) (Correct) (4 citations)

case. This ensures that less competent expert's **ratings** of system's 1 The most convincing argument is,  
kiwi.theoinf.tu-ilmenau.de/vais/PSs/kpg97.ps.gz

Web Document Modelling and Clustering - Song (Correct)

comprehension [6]The introduction of labels (or **rating** services) to describe a web document brings a  
object have been well developed in the conceptual **database** design area [10]Therefore, in this paper, we  
a similarity computation method from the **database** schema integration theory in the future. 5)  
osm7.cs.byu.edu/ER97/workshop1/SongWilliam.ps.gz

Update Replication: What Every Designer Should Know - By Rob (Correct)

to ensure that this customer has a top credit **rating** with the firm. Passing the check at B, the  
so it seems, from the design and operation of the **database** applications -something that can't be said  
replication can be built using a combination of **database** triggers and the multi-site coordinated update  
www.software.ibm.com/data/pubs/papers/./goldring/know.ps

First 20 documents Next 20

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC



Terms used **bug rating**

Found 1 of 158,639

Sort results  
by

relevance



[Save results to a Binder](#)

Display  
results

expanded form



[Search Tips](#)

☐ Open results in a new  
window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

**1 [Programmers use slices when debugging](#)**

Mark Weiser

July 1982 **Communications of the ACM**, Volume 25 Issue 7

Full text available:  pdf(709.05 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Computer programmers break apart large programs into smaller coherent pieces. Each of these pieces: functions, subroutines, modules, or abstract datatypes, is usually a contiguous piece of program text. The experiment reported here shows that programmers also routinely break programs into one kind of coherent piece which is not contiguous. When debugging unfamiliar programs programmers use program pieces called slices which are sets of statements related by their flow of data ...

**Keywords:** program decomposition, slice

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)